



KARNATAKA VIKAS GRAMEENA BANK.

Planning & Development Division

HEAD OFFICE, DHARWAD.

Non Price bid (Technical offer) Annexure-I

Sl No	Technical Specification	Bank's requirement	Remarks by the vendor.
-------	-------------------------	--------------------	------------------------

I	High back Chief Manager Chair		
1	Type	High back /hydraulic height adjustment. back size (W) 49x(H)71 cm.& seat size (W)49 x (D) 44 cm	
2	Seat/back cover	Underside with black polypropylene fabric and upholstered back with moulded in black Co-polymer	
3	Armrest tube	The arm rest tube is made of 3.5x1.5x0.16 cm	
4	Armrest	made of black integral skin polyurethane with 50-70 shore 'A' hardness	
5	Pedestal assembly	fabricated from 0.2 cm thick HR sheet fitted with an injection moulded black polypropylene hub cap and 5 nos. twin wheel castors	
6	Size	Height 102 - 113 cm. Seat height 42 -53. cm	

II	Mid back Manager chair		
	Type	low back /hydraulic height adjustment. back size (W)45x 53 cm.& seat size 52x 48 cm	
	seat/ Back cover	Underside with black polypropylene fabric and upholstered back with moulded in black Co-polymer	
	Armrest tube	The arm rest tube is made of 3.5x1.5x0.16 cm	
	Armrest	made of black integral skin polyurethane with 50-70 shore 'A' hardness	
	Size	Height 93-102 cm. Seat height 41.5-50.5 cm	
	Pedestal assembly	fabricated from 0.2 cm thick HR sheet fitted with an injection moulded black polypropylene hub cap and 5 nos. twin wheel castors	



KARNATAKA VIKAS GRAMEENA BANK.

Planning & Development Division

HEAD OFFICE, DHARWAD.

Non Price bid (Technical offer) Annexure-I

III	Low Back computer/Officer Chair		
1	Type	low back /hydraulic height adjustment. back size (W)44 cm. (H) 47 cm & seat size (W) 52x (D) 48 cm	
2	Seat/back cover	Underside with black polypropylene fabric and upholstered back with molded in black Co-polymer	
3	Armrest tube	The arm rest tube is made of 3.5x1.5x0.16 cm	
4	Armrest	made of black integral skin polyurethane with 50-70 shore 'A' hardness	
5	Pedestal assembly	fabricated from 0.2 cm thick HR sheet fitted with an injection molded black polypropylene hub cap and 5 nos. twin wheel castors	
6	Size	Height 86-95 cm seat height 42.0-50 cm	

IV	P' Type Visitor's chair		
	Seat/ Back assembly	Made from 1 cm thick hot pressed mistier resistant commercial plywood measured as per QA method and upholster with P.U. foam and fabric	
	High Resilience	The HR Polyurethane moulded foam.	
	Understructure Assembly	Main frame made of 2.54 x0.2 MSERW TUBE	
	size	Back: WIDTH=42 cm HEIGHT=26 cm SEATHEIGHT=42 cm DEPTH= 42 cm. Height 78 cm	

V	3 Seated (Metal perforated) Chair		
	Size	Seat height 41 cm, Height 71 cm Width 160 cm depth 56 cm	
		Powder coated rectangular tube having 8x4x0.2cm M.S.E.R.W. Cross beam, Chrome plated leg & armrest, perforated seat & back shell	



KARNATAKA VIKAS GRAMEENA BANK.

Planning & Development Division

HEAD OFFICE, DHARWAD.

Non Price bid (Technical offer) Annexure-I